

SODIUM BUTYRATE SUPPLEMENTATION SIGNIFICANTLY IMPROVED CLINICAL OUTCOMES AND QUALITY OF LIFE IN PATIENTS WITH CROHN'S DISEASE – RESULTS FROM A RANDOMISED PLACEBO-CONTROLLED STUDY

Carlo Redavid

UEG Week Copenhagen 2023

Poster

IBD

October 15, 2023

A randomised placebo-controlled trial found that three months of oral microencapsulated sodium butyrate significantly improved clinical disease activity and quality of life in Crohn's disease patients, with differential microbiome responses observed between two enterotypes.

KEY POINTS

- In 140 IBD patients (60 CD, 80 UC) randomised to microencapsulated sodium butyrate or placebo for 3 months, butyrate treatment significantly improved Harvey Bradshaw Index scores in CD (McNemar's $p=0.013$ vs $p>0.9$ for placebo) and quality of life scores in both CD and UC, more markedly in treatment groups.
- Microbiota sequencing identified two distinct CD enterotypes: Bacteroidota-dominant (with *Fecalibacterium*, *Alistipes*, *Roseburia*) and Firmicutes-dominant (with *Escherichia-Shigella*, *Lachnoclostridium*); butyrate had more pronounced effects on the Bacteroidota enterotype, increasing taxa associated with intestinal comfort and SCFA production while decreasing taxa associated with inflammation.
- After treatment, improvements in Firmicutes/Bacteroidota ratio, quality of life, disease activity, and calprotectin reduction were observed, with stronger effects in enterotype 1 subjects and in the CD population overall.
- Patients who underwent ileo-colonic surgery showed microbiologically distinct profiles associated with the Bacteroidota enterotype, suggesting butyrate therapy may be more appropriate for CD subjects with colonic preservation.

- This material is relevant for gastroenterologists managing IBD patients, particularly those interested in microbiome-targeted adjunctive therapies and personalised treatment approaches based on enterotype.

VIEW THIS CONTENT ON GUTFLIX

<https://gutflix.eu/search/d/31953cda-743b-11ee-94d0-0242ac140004>



AI-generated summary

This summary was generated by an AI large language model based on the content transcript. It is for informational purposes only and should not be considered a substitute for clinical judgment. Always rely on your professional expertise and the full clinical context when making clinical decisions.